



YARDLEY™

LP6821LAZ

(Lowes Item #5127852)

64" Ceiling Fan



featuring KwikWire easy connection

INSTALLATION REQUIREMENTS:

Fan must be attached to a securely anchored electrical junction box capable of withstanding a load of at least 35 lbs.

ELECTRICAL REQUIREMENTS:

Requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

MOTOR SPECS:

DC135 motor is designed for optimal performance with this fan.

BLADE SET:

A set of three 31" composite blades is included.

CONTROL OPTIONS:

TR305S hand-held remote control is included. Push button remote control with 16 fan speeds, fresh air, reverse, ON/OFF dimmer light levels, CCT Select (correlated color temperature selection), fan/light timer, home away, safe exit and off button. Optional TW306 wall control is available — sold separately. Instructions is provided with each control.

LIGHTING OPTIONS:

One 18-watt CCT LED (Warm/Natural/Cool) included.

DOWNROD OPTIONS:

Fan comes with a 1" dia. x 8" long downrod (DRT1-8). Optional downrods are available in 12", 18", 24", 36", 48", 60" and 72". Fan can be mounted on a sloped ceiling up to 19°. Most sloped ceiling installations require a standard 18" downrod or longer downrod. Optional sloped ceiling kits (SCK1-52) are available for up to 42°. Call technical support for more information.

LOCATION USE:

Fan is rated for dry and damp locations. This fan is for room over 400 sq ft.

	A	B
Fan w/8" downrod	16.51"	14.80"
Fan w/12" downrod	20.51"	18.80"
Fan w/18" downrod	26.51"	24.80"
Fan w/24" downrod	32.51"	30.80"
Fan w/36" downrod	44.51"	42.80"
Fan w/48" downrod	56.51"	54.80"
Fan w/60" downrod	68.51"	66.80"
Fan w/72" downrod	80.51"	78.80"

Available Finishes

LAZ	Aged Bronze with Light Oak Blade and Opal Frosted Glass
-----	---

Airflow / Energy Efficiency Info (120V)

Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts
High (16 th)	121	7999	335	0.36	24
Med (9 th)	78	5222	716	0.12	7
Low (1 th)	30	1787	863	0.05	2

Energy Guide FTC

Power (W _{ave})	Total Air Delivery (CFM _{ave})	Estimated Yearly Energy Cost (\$)	Ceiling Fan Efficiency (CFM/W)
17	5087	5	305

Lighting Information (120V)

Light Bulb	Lumens Amount	Delivered Lumens	Color Temp	CRI	Shade/Glass type
18W CCT LED	1600	507/539/540	Warm/Natural/Cool	90%	Opal Frosted